

Guidelines for National Diagnostic Protocol Development Applications

The National Diagnostic Protocols are an integral component of Australia's plant biosecurity system. The process of development is managed by the Subcommittee on Plant Health Diagnostics (SPHD).

National Diagnostic Protocols (NDPs) provide the minimum requirements for diagnostic procedures and methods for the detection and identification of plant pests. Information is provided on the pest, its host and taxonomic status and the methods to detect and identify it based on the best available information. NDPs may cover a species, an intra-specific taxon, several species within a genus or multiple genera of related pests.

In addition, NDPs now contain a section on diagnostics to support surveillance (Section 9). This provides information on the in-field and laboratory procedures utilized in the screening, detection or identification of plant pests in a surveillance situation. These procedures are to be used to support surveillance activities and are NOT to be used for a definitive identification in an initial detection.

When a protocol is developed, it is peer reviewed by a recognised plant health expert and verified by an independent laboratory.

The aim is to provide National Diagnostic Protocols for all identified priority pests for Australia, including those on the High Priority Pest (HPP) lists in Biosecurity Plans and the National Priority Plant Pest (NPPP) list developed by Australian governments.

It has been recognised that development of protocols and the subsequent review processes are time consuming to undertake in isolation. Therefore, SPHD has provided the option to amalgamate NDP development for pests with similar biology into Diagnostic Protocol Development Projects as outlined in Appendix 1.

A Diagnostic Protocol Development Project involves a plant biosecurity diagnostician or research scientist undertaking a project to either develop NDPs for one or more high priority pests, or to review and verify a collection of NDPs for multiple high priority pests. This work can be undertaken in conjunction with a Diagnostic Residential, also offered by SPHD. Information about Diagnostic Residentials can be found in the NPBDN website (plantbiosecuritydiagnostics.net.au/news-events/professional-development/current-activities/).

The Diagnostic Protocol Development Program and the Diagnostic Residential Program are funded through grants to Plant Health Australia and the South Australian Research & Development Institute from the Australian Government Department of Agriculture and Water Resources under the Plant Biosecurity and Response Reform programme.

Eligibility

To be eligible for a Diagnostic Protocol Development Project, you must be employed in a plant health laboratory or similar, in an organisation in Australia or New Zealand, and be a member of the National Plant Biosecurity Diagnostic Network (NPBDN)¹.

Application process

To apply for a Diagnostic Protocol Development Project, download the application form from the NPBDN website (plantbiosecuritydiagnostics.net.au/news-events/professional-development/current-activities/), complete the required fields, and submit to the SPHD Executive Officer at sphd@agriculture.gov.au.

¹ To join the NPBDN complete the form at plantbiosecuritydiagnostics.net.au/about-npbdn/membership-form/







Assessment of applications

All applications will be assessed by SPHD, based on the following criteria:

- 1. Project will develop new NDP(s) for HPPs or NPPPs, complete the review and verification of draft NDPs, and/or enhance a current NDP (e.g. through peer review of a current NDP or the addition of a Section 9).
- 2. Demonstrated experience and expertise in the pest group(s) or related pest(s) to be covered by the NDPs.
- 3. Clear and beneficial outcomes and outputs articulated.
- 4. Value for money.
- 5. Potential for maintenance of laboratory expertise in the procedures.
- 6. Consideration of provision of resulting materials and controls for appropriate storage and/or lodging in a reference collection.
- 7. Building linkages within and external to the NPBDN through the development process.

Successful applicants will be contacted by the SPHD Executive Officer and provided instructions on how to progress.

Guide to budgets

It is anticipated that projects in the range of \$30,000 to \$50,000 will be funded, however applicants may propose budgets outside this range with appropriate justification.

It is anticipated than 4-5 projects will be funded in this round, with potential for additional projects in future years depending on funding availability.

The program encourages a collaborative approach between participating agencies if required. In kind support from participating organisations is expected, and can include wages, bench fees, etc.

Timelines

Applications close at 5 pm AEST on the 30th November. Successful applicants will be informed within two weeks.

Key contact and further information

If you would like further information, please contact the NDP Development Project Coordinator Barbara Hall at **barbara.hall@sa.gov.au**.

Reference standards which outline instructions to authors and review processes can be found on the NPBDN website (plantbiosecuritydiagnostics.net.au/sphd/sphd-reference-standards/)







Appendix 1: National Priority Plant Pest Diagnostic Protocol Gaps

The following tables include all protocols currently in development and the work required to progress them to endorsed NDP status.

These pests have been grouped. While it is expected that the projects submitted should cover a group of similar organisms, they are not restricted to the groupings suggested and can be selected from any of the pests listed in any of the tables.

There is also a list of NPPPs where no draft document exists and that require full development. It is expected that these may require additional funding, which should be discussed with the project manager (Barbara Hall) before submission.

NPPPs are highlighted in grey.

A9 = appendix section 9, Diagnostics to support surveillance.

PR = peer review; V = lab verification; NDP review = peer review needed for currency

Bacteria

| Scientific name | Common name | NDP requirements |
|-----------------------|-----------------------------------|--|
| Erwinia amylovera | Fire blight | New - PR & V |
| Pantoea stewartii | Stuarts wilt of maize | Reviewed: Needs updating with new procedures plus A9 |
| Pseudomonas papulans | Blister spot of apple | PR & V plus A9 – may need updating with new procedures |
| Xanthomonas fragariae | Angular leaf scorch of strawberry | Reviewed: Needs updating with new procedures plus A9 |
| Xylophilus ampelinus | Bacterial blight of grapevine | Reviewed: Needs updating with new procedures plus A9 |

Virus collation 1

| Scientific name | Common name | NDP requirements |
|---------------------------------------|-----------------------------------|--|
| Plum pox virus (Potyvirus) | Sharka | A9 |
| Cotton leaf curl begomovirus | Cotton leaf curl disease | PR & V plus A9 |
| Cotton leaf roll dwarf virus | Cotton leaf roll dwarf virus | PR & V plus A9 |
| Maize dwarf virus | Maize dwarf virus | Reviewed: Needs updating with new procedures plus A9 |
| Potato mop top virus | | NDP15 review plus A9 |
| Red clover vein mosaic virus | Red clover vein mosaic virus | V (molecular) plus A9 |
| Wheat spindle streak mosaic bymovirus | Wheat spindle streak mosaic virus | Reviewed: Needs updating with new procedures plus A9 |

Virus collation 2 (group protocols)

| Scientific name | Common name | NDP requirements |
|-----------------|------------------------------|----------------------|
| Fuvovirus | Wheat soil borne virus group | New - PR & V plus A9 |
| Hordeiviruses | Wheat soil borne virus group | New - PR & V plus A9 |
| Pecluviruses | Wheat soil borne virus group | New - PR & V plus A9 |
| Bymovirus | Wheat soil borne virus group | New - PR & V plus A9 |







Banana collation

| Scientific name | Common name | NDP requirements |
|-------------------------------------|-----------------------------|-------------------------|
| Ralstonia solanacearum race 2 | Moko & Bugtok | Old – may need updating |
| Xanthomonas vasicola pv. musacearum | Banana bacterial wilt (BXW) | Old – may need updating |
| Giberella fujikuroi | Bakanae | Old – may need updating |
| Mycosphaerella eumusae | Eumusae leaf spot | Old – may need updating |
| Banana bract mosaic virus | Banana bract mosaic disease | Old – may need updating |
| Fusarium oxysporum f. sp. cubense | Panama disease | Updated recently |

Fungi

| Scientific name | Common name | NDP requirements |
|--|-----------------------------|--|
| Pseudopezicula tetraspora | Angular leaf scorch grape | New - PR & V plus A9 |
| Raffaelea lauricola | Laurel wilt & vector beetle | Reviewed – needs updating from review and A9 |
| Synchytrium endobioticum | Potato wart | NDP16 review &A9 |
| Fusarium oxysporum f. sp. vasinfectum (exotic races) | Fusarium wilt | No current draft |
| Neonectria ditissima | European canker | NDP21 – review &A9 |
| Ophiostoma novo-ulmi | Dutch elm disease | NDP37 A9 |
| Puccinia graminis f. sp. tritici (exotic strains) | UG99 | No current draft |
| Puccinia psidii (exotic strains) | Guava (Eucalyptus) rust | Pre incursion – needs updating and review |
| Puccinia striiformis f. sp. hordei | Barley stripe rust | No current draft |
| Tilletia indica | Karnal bunt | NDP19 review &A9 |
| Tilletia controversa | Dwarf bunt of wheat | Old – needs updating |
| Tilletia horrida (nee barclayana) | Kernel smut of rice | Old - PR & V |

Nematodes

| Scientific name | Common name | NDP requirements |
|---------------------------------------|----------------------|--|
| Bursaphelenchus cocophilus | Red ring disease | |
| Bursaphelenchus xylophilus | Pine wilt nematode | Protocol reviewed. May need updating post incursion |
| Globodera pallida | Potato cyst nematode | Reviewed and needs editing. May need checking again? |
| Globodera rostochiensis | | |
| Heterodera avenae (exotic strains) | Cyst nematodes | No current draft |
| Heterodera carotae | | |
| Heterodera ciceri | | |
| Heterodera filipjevi (exotic strains) | | |
| Heterodera glycines | | |
| Heterodera latipons (exotic strains) | | |
| Heterodera zeae | | |







Snails

| Scientific name | Common name | NDP requirements |
|----------------------|---------------------|-------------------------------------|
| Lissachatina fulica | Giant African snail | No current draft |
| Pomacea canaliculata | Golden apple snail | Old draft – reviewed and needs work |

Thrips

| Scientific name | Common name | NDP requirements |
|-------------------------|-----------------------------|---------------------|
| Scirtothrips aurantii | South African citrus thrips | Old – may need work |
| Echinothrips americanus | Poinsettia thrips | NDP3 review & A9 |
| Scirtothrips perseae | Avocado thrips | NDP4 review & A9 |

Insects

| Scientific name | Common name | NDP requirements |
|----------------------------|------------------------------|---------------------------------------|
| Dysaphis plantaginea | Rosy apple aphid | Old draft – reviewed and needs work |
| Sitobian avenae | English grain aphid | For review &A9 |
| Leptinotarsa decemlineata | Colorado potato beetle | NDP22 &A9 |
| Lissorhoptrus oryzophilus | Rice water weevil | For review & A9 |
| Sternochetus frigidus | Mango pulp weevil | For review & A9 |
| Agrilus planipennis | Emerald ash borer | For review & A9 |
| Citripestis eutraphera | Mango fruit borer | For review & A9 |
| Citripestis sagittiferella | Citrus fruit borer | For review & A9 |
| Hyalensthes obsoletus | Cixiidae plant hopper | For review & A9 |
| Deanolis sublimbalis | Red-banded mango caterpillar | For review & A9 |
| Lobesia botrana | European grapevine moth | For review & A9 |
| Diaphorina citri | Asian citrus psyllid | Being edited – may need updating & A9 |
| Homalodisca vitripennis | Glassy winged sharp shooter | NDP23 – A9 |







NPPs - new protocol needed

| Scientific name | Common name | NDP requirements |
|---|---|--|
| Acrogonia terminalis Dilobopterus costalimai Draeculacephala Minerva Graphocephala atropunctata Oncometopia fascialis Philaenus spumarius Xyphon fulgidum | Other vectors of Xylella fastidiosa | |
| Anoplophora chinensis Anoplophora glabripennis Anoplophora malasiaca | Longhorn beetles | |
| Cephus cinctus Cephus pygmeus | Wheat stem sawfly | |
| Coptotermes formosanus Coptotermes gestroi | Subterranean termites | ? draft termite protocol |
| Cryptotermes brevis Cryptotermes dudleyi Incisitermes minor | Drywood termites | ? draft termite protocol |
| Eurygaster integriceps | Sunn pest | |
| Halyomorpha halys | Brown marmorated stink bug | |
| Hylesia nigricans | Burning moth | |
| Lepisiota frauenfeldi Nylanderia fulva Solenopsis invicta Wasmannia auropunctata | Exotic tramp ant | |
| Liriomyza bryoniae Liriomyza cicerina Liriomyza huidobrensis Liriomyza sativae | Tomato, chickpea, serpentine and vegetable leaf minor | Old draft of L. huidobrensis. NDP of L. trifolii |
| Lygus hesperus Lygus lineolaris | Plant bugs | |

